

# ECOMAT®

**The benefits of polyurethane in an economically priced mat — ideal for intermittent and less demanding use.**

## ○ Primary usage areas:

- Cash registers
- Service counters
- Salons

## ○ Color:

- Gray

## ○ Standard sizes (±2%):

- 2', 3' and 4' wide in length increments of 1' between 3' and 60'

## ○ Edge:

- Beveled unless otherwise specified

## ○ Warranty:

- The ECOMAT® is guaranteed against wear for one year in non-abrasive and dry environments. It will not lose its elasticity and will provide continuous ergonomic benefits.\*

## ○ Chemical resistance:

- The ECOMAT is not designed for chemical exposure. We will be happy to provide samples for your own tests.
- For areas where chemical resistance is of primary importance, we recommend our ERGOMAT F-MAT, ERGOMAT SOFTLINE and ERGOMAT NITRIL mats.\*
- The ECOMAT should not be used in wet areas.

The ECOMAT surface allows easy rolling of carts.

## ○ Cleaning:

- Sweep or vacuum as appropriate. The ECOMAT may be easily washed with a string mop if necessary.

## ○ Weight:

- 0.7 pound per square foot

## ○ Raw material:

- Polyurethane – freon free

## ○ Thickness:


- 7/16"

## ○ Temperature range:

- Constant: Minimum 32°F – Maximum 175°F
- Briefly: 250°F

\* **Contact Tinby LLC for details.**

ECOMAT® and ERGOMAT® are registered trademarks of Tinby LLC.



Please note that while the right mat can reduce the risk of slips and falls, no product can guarantee that accidents won't happen. Suitability to task in all aspects must be determined by you, the end-user, and Tinby LLC accepts no responsibility for damages involving the use of our product.

Locally distributed by:

### **ERGOMAT®**

871 Canterbury Road  
Westlake, Ohio 44145

Phone: 800.357.2111

Fax: 440.899.1702

E-Mail: [info@ergomat.com](mailto:info@ergomat.com)

Web Site: [www.ergomat.com](http://www.ergomat.com)



Member of SP Group A/S

# ECOMAT DRAINAGE®

**High grade rubber drainage mat designed for safety and comfort in wet environments.**

## ○ Primary usage areas:

- Automotive industry
- Food service
- Wet applications in general

## ○ Color:

- Gray
- Safety Yellow ramps
- Black connectors

## ○ Standard size:

- 3' x 5'
- Ramps are 1 3/4" wide, available by the linear foot.

## ○ Custom sizes:

- The ECOMAT® DRAINAGE is a modular system. Individual units lock together with the available connectors to form most mat sizes and shapes.

## ○ Edge:


- Square
- Safety Yellow ramps are available

## ○ Warranty:

- The ECOMAT DRAINAGE is guaranteed for five years against breakdown due to oil or grease contact.

## ○ Chemical resistance:

- Good to excellent for oil, gasoline, animal and vegetable oils, alkalies and aliphatic hydrocarbons.



- For areas where chemical resistance is of primary importance, we recommend mats from our ERGOMAT® line\*
- **Cleaning:**
  - Steam clean, hose down or mop as appropriate
- **Weight:**
  - 2 pounds per square foot
- **Raw material:**
  - Rubber
- **Thickness:**
  - 7/8"
- **Temperature range:**
  - Very good resistance up to 100°F

\* **Contact Tinby LLC for details.**

ECOMAT® and ERGOMAT® are registered trademarks of Tinby LLC.

Please note that while the right mat can reduce the risk of slips and falls, no product can guarantee that accidents won't happen. Suitability to task in all aspects must be determined by you, the end-user, and Tinby LLC accepts no responsibility for damages involving the use of our product.

Locally distributed by:

### **ERGOMAT®**

871 Canterbury Road  
Westlake, Ohio 44145

Phone: 800.357.2111

Fax: 440.899.1702

E-Mail: [info@ergomat.com](mailto:info@ergomat.com)

Web Site: [www.ergomat.com](http://www.ergomat.com)




Member of SP Group A/S


# ECOMAT DIAMOND® & ECOMAT MARBLE®




Available Colors:



**An economically priced mat with good anti-fatigue properties — ideal for intermittent and less demanding use.**



Available Colors:



## ○ Primary usage areas:

- Pick lines
- Service counters and cashiers
- Shipping and packing areas

## ○ Colors:

- See chart above

## ○ Standard sizes (±2%):

- 2', 3' and 4' wide in length increments of 1' between 3' and 60'
- 5' and 6' available as special order

## ○ Edge:

- Beveled unless otherwise specified

## ○ Warranty:

- The ECOMAT DIAMOND® and ECOMAT MARBLE® are guaranteed against delamination for three years in dry environments.

## ○ Chemical resistance:

- These mats is not designed for chemical exposure but will tolerate occasional spills. We will be happy to provide samples for your own tests.

- For areas where chemical resistance is of primary importance, we recommend our ERGOMAT F-MAT, ERGOMAT SOFTLINE and ERGOMAT NITRIL mats.\*
- The ECOMAT DIAMOND® and ECOMAT MARBLE® should not be used in wet areas.

## ○ Cleaning:

- Sweep or vacuum as appropriate. These mats may be easily washed with a string mop if necessary.

## ○ Weight:

- 1.5 pounds per square foot

## ○ Raw material:

- Vinyl Top
- Proprietary foam base

## ○ Thickness:

- 5/8"

\* *Contact Tinby LLC for details.*

Please note that while the right mat can reduce the risk of slips and falls, no product can guarantee that accidents won't happen. Suitability to task in all aspects must be determined by you, the end-user, and Tinby LLC accepts no responsibility for damages involving the use of our product.

Locally distributed by:

Shannahan  
Ergonomics &  
Technology  
314-965-2800

**ERGOMAT®**

871 Canterbury Road  
Westlake, Ohio 44145

Phone: 800.357.2111

Fax: 440.899.1702

E-Mail: [info@ergomat.com](mailto:info@ergomat.com)

Web Site: [www.ergomat.com](http://www.ergomat.com)



Member of SP Group A/S